

		COLOR CODES	EAST COAST DATACOM, INC - LIST PRICING	1-Jan-24
		Available: Y	WEB SITE FOR DATA SHEETS - WWW.ECDATA.COM	
		Obsolete: O	TEL: (321) 637-9922 FAX: (321) 637-9980	
		Replaced By:	SALES CONTACT: Richard Barger, East Coast Datacom, Inc.	
		New Product-Avail.	All Equipment has a 3-Year Warranty & Support	
		Special Order	ALL PRICING IS IN US DOLLARS	
ECDATA.COM	ECDATA.COM			U.S.A.
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	NETWORK DELAY SIMULATORS	LIST PRICE
175000	RDS-PLUS	Available: Yes	RDS+ Delay Simulator, 1U Rackmount, Int/Ext Clock to 53 Mbps, Delay, Errors, Serial Set-up & Control (Interfaces Sold Separate) (90-240 AC Mains)	CALL
175030	RDS-PLUS GUI	Available: Yes	RDS-PLUS Web Enabled GUI Interface Module, W/10base-T LAN for Set-Up / Control, Static IP Address	CALL
187000	UDC-RDS_LS	Available: Yes	UDC Delay Simulator LS, Standalone, Int Clock 300bps to 1.024Mbps, Variable Delays (Select any two 129xxx DCE series) (90-240 AC Mains)	CALL
211000	UDC-RDS_LS_RM	Available: Yes	UDC Delay Simulator LS, 1U Rackmount, Int Clock 300bps to 1.024Mbps, Variable Delays (Select any two 129xxx DCE series) (90-240 AC Mains)	CALL
203000	UDC-RDS_HS	Available: Yes	UDC Delay Simulator HS, Standalone, Int Clock 8Kbps to 3.072Mbps, Variable Delays (Select any two 129xxx DCE series) (90-240 AC Mains)	CALL
212000	UDC-RDS_HS_RM	Available: Yes	UDC Delay Simulator HS, 1U Rackmount, Int Clock 8Kbps to 3.072Mbps, Variable Delays (Select any two 129xxx DCE series) (90-240 AC Mains)	CALL
207000	WanRaptor_1U	Available: Yes	1U Rackmount WAN Emulator, Base Unit, 1-PCIe Slots, Includes 3 years maintenance (90-240 AC Mains)	CALL
210000	WanRaptor_2U	Available: Yes	2U Rackmount WAN Emulator, Base Unit, 6-PCIe Slots, 3 years maintenance (90-240 AC Mains)	CALL
253000	WanRaptor_2U-REDUN	Available: Yes	2U Rackmount WAN Emulator, Dual Redundant Power Base Unit, 6-PCIe Slots, 3 years maintenance (90-240 AC Mains)	CALL
237000	BGP-EDS	Available: Yes	BGP Ethernet Delay Emulator, Base Unit, 2U Rackmount, Includes 3 years maintenance (90-240 AC Mains)	CALL
234000	PDS-1/10G	Available: Yes	Portable WAN Emulator, Base Unit, 1-PCIe Slot, Includes 3 years maintenance (90-240 AC Mains)	CALL
129000	RDS	Replaced By: 211000	Router Delay Simulator, 1U Rackmount Int/Clock to 2.048 Mbps, Variable Delays of Data & Control Signals	CALL
133000	RDS-ECO	Special Order	Router Delay Simulator, 1U Rackmount, Ext/Clock to 6 Mbps, Variable Delays of Data & Control Signals	CALL
148000	RDS-LDD	Special Order	Router Delay Simulator, 1U Rackmount, W/Long Data Delays, Ext/Clock to 5 Mbps, Variable Delays of Data Only	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	- NETWORK NIC CARDS, SFP+, QSFP+ FIBER INSERTS, TWIN AX CABLES, 4-WAY SPLITTER CABLE	LIST PRICE
226000	4-POR T 1G COPPER	Available: Yes	INTEL Copper NIC, 4-Port 10/100/1000, RJ45, CAT5, PCIe 2.1, 1/2 height	CALL
226001	2-POR T 1G FSP	Available: Yes	1G FSP NIC, 2-Ports, PCIe 2.1, 1/2 height, SR Optic Included	CALL
226005	1-POR T 40G QSFP+	Available: Yes	Intel 40G QSFP+ NIC, 1-Port, XL710QDA1, Fiber or Twin Ax	CALL
226007	2-POR T 10G SFP+	Available: Yes	Intel 10G SFP+ NIC, 2-Port, X710DA2, Fiber or Twin Ax Cable	CALL
226008	4-POR T 1G FIBER	Available: Yes	Intel Fiber NIC, 4-Port 10/100/1000, MMF, LC Connector, PCIe 2.1, 1/2 height	CALL
226016	1-POR T 25G SFP+	Available: Yes	Intel 25G SFP+ NIC, 1-Port, XXV710DA1, Fiber or Twin Ax	CALL
226019	4-POR T 1G SFP	Available: Yes	4-Port 1G, SFP Slots, PCI 1/2 Card	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	SFP+ FIBER INSERTS, QSFP+ FIBER INSERTS, TWIN AX CABLES, 4-WAY SPLITTER CABLE, CAT5E CABLES	LIST PRICE
226004	SFP+ 10G Insert	Available: Yes	SFP+ Optical Insert, SR, 10GbE Short Range 850 Multimode Fiber, LC Connector	CALL
226011	QSFP+ 40G Insert	Available: Yes	QSFP+ Optical Insert, SR, 40GbE Short Range 850 Multimode Fiber, MPO Connector	CALL
226017	SFP+ 25G Insert	Available: Yes	SFP+ Optical Insert, SR, 25GbE Short Range 850 Multimode Fiber, LC Connector	CALL
712038	SFP+ (1) to (1)/1 MTR	Available: Yes	Cable, SFP+(1) to SFP+(1) copper direct attach cable, 1 Meter Long	CALL
712041	QSFP+ (1) to (1)/1 MTR	Available: Yes	Cable, QSFP+(1) to (1) QSFP+ copper direct attach cable, 1 Meter Long	CALL
712044	QSFP+(1) to (4)/1 MTR	Available: Yes	Cable, QSFP+ (1) to (4)SFP+ copper direct attach breakout cable, 1 Meter Long	CALL
712047	CAT5E BLU-2 MTR	Available: Yes	Cable, Patch, 4-Pair CAT5E Stranded PVC Blue, No Boot, 2 Meter(Made in USA)	CALL
712048	CAT5E YEL-2 MTR	Available: Yes	Cable, Patch, 4-Pair CAT5E Stranded PVC Yellow, No Boot, 6 Feet(Made in USA)	CALL
712049	CAT5E RED-2 MTR	Available: Yes	Cable, Patch, 4-Pair CAT5E Stranded PVC Red, No Boot, 6 Feet(Made in USA)	CALL
712050	LC/LC 2M	Available: Yes	Cable, Fiber Jumper, 10GbE LC/LC, Full Duplex OM3, 2 Meters	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	IP NETWORK TRAFFIC GENERATORS	LIST PRICE
284000	PKT-GEN_UPG	Available: Yes	PKT-GEN Software Only Upgrade to Wanraptor	CALL
286000	PKT-GEN_2U	Available: Yes	PKT-GEN Hardware Platform, 2U 5 Slot PCIe	CALL
288000	PKT-GEN_STA	Available: Yes	PKT-GEN Hardware Platform, Desktop or 1U	CALL
214000	STG-10G_4	Obsolete	STG-10G, Stateful Traffic Generator, GUI Web Console, 4-Core, (90-240 AC Mains)	CALL
215000	STG-10G_6	Obsolete	STG-10G, Stateful Traffic Generator, GUI Web Console, 6-Core, (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	DATA BROADCAST UNITS	LIST PRICE

116000	DBU-V11	Available: Yes	8 Port, V.11 Data Broadcast Unit, Rates to 20Mbps (90-240 AC Mains)	CALL
131000	DBU-V11/FB	Available: Yes	7 Port, V.11 Data Broadcast Unit W/Fallbach Switch, Rates to 20Mbps (90-240 AC Mains)	CALL
149000	DBU-V11/FBA	Special Order	7 Port, V.11 Data Broadcast Unit W/Fallbach Switch & Audible Alarm, Rates to 20Mbps (90-240 AC Mains)	CALL
254000	DBU-V11/FB_AC/DC	Special Order	7 Port, V.11 Data Broadcast Unit W/Fallbach Switch & Audible Alarm, Rates to 20Mbps AC/-48DC	CALL
117000	DBU-232	Replaced by 186000	3 Port, RS-232 Data Broadcast Unit, Rates to 128Kbps (90-240 AC Mains)	CALL
153000	DBU-HSSI	Available: Yes	4 Port, HSSI Data Broadcast Unit, Rates to 52Mbps (90-240 AC Mains)	CALL
155000	DBU-2328	Available: Yes	8 Port, RS-232 Data Broadcast Unit, Cascade Redundant, Rates to 128Kbps (90-240 AC Mains)	CALL
158000	DBU-16	Available: Yes	16 Port, RS-232/RS-422 Async Data Broadcast Unit, Rates to 1024Mbps (90-240 AC Mains)	CALL
186000	UDC-DBU_232	Available: Yes	Standalone, 4-Port, RS-232 Output, Rates to 128k, (Includes 129092 and Select one 202xxx DTE as Input Port) (90-240 AC Mains)	CALL
213000	UDC-DBU_232_RM	Available: Yes	1U Rackmount, 4-Port, RS-232 Output, Rates to 128k , (Includes 129092 and Select one 202xxx DTE as Input Port) (90-240 AC Mains)	CALL
220000	UDC-DBU_V11	Available: Yes	Standalone, 4 Port, V.11 Output, Rates to 20Mbps, (Includes 129075 and Select one 202xxx DTE as Input Port) (90-240 AC Mains)	CALL
221000	UDC-DBU_V11_RM	Available: Yes	1U Rackmount, 4 Port, V.11 Output, Rates to 20Mbps , (Includes 129075 and Select one 202xxx DTE as Input Port) (90-240 AC Mains)	CALL
243000	DBU-TTL	New Product	8 Port, TTL Data Broadcast Unit, Rates to 20Mbps (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	MODEM & PORT SHARING DEVICES	LIST PRICE
272000	MSD-2_Standalone	Available: Yes	2 Port, RS-232 Modem Sharing Device, Standalone, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
274000	MSD-2_Single-1U	Available: Yes	2 Port, RS-232 Modem Sharing Device, 1U Single Unit Chassis, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
280000	MSD-2_Dual-1U	Available: Yes	2 Port, RS-232 Modem Sharing Device, 1U Dual Unit Chassis, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
101000	MSD-4	Available: Yes	4 Port, RS-232 Modem Sharing Device, Standalone, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
101012	MSD-4	Available: Yes	4 Port, RS-232 Modem Sharing Device, Large Standalone, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
101030	MSD-4_1U	Available: Yes	4 Port, RS-232 Modem Sharing Device, 1U Rackmount, Switch on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
102000	MSD-8	Available: Yes	8 Port, RS-232 Modem Sharing Device, Standalone, Switches on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
102015	MSD-8_1U	Available: Yes	8 Port, RS-232 Modem Sharing Device, 1U Rackmount Switches on RTS/CTS or Data, Rates to 128K (90-240 AC Mains)	CALL
107000	DMM-4	Available: Yes	4 Port, RS-232 Buffered Sharing Device, Switch on RTS/CTS, DCD or Data, DCE/DTE Selectable, Rates to 128K (90-240 AC Mains)	CALL
162000	DMM-4DC	Available: Yes	4 Port, RS-232 Buffered Sharing Device, Switch on RTS/CTS, DCD or Data, Rates to 128K, DCE/DTE Selectable, 36-72 VDC	CALL
135000	DSD-V.35/2	Available: Yes	2 Port, V.35 Digital Sharing Device, Switches on RTS/CTS, Rates to 2.048Mbps (90-240 AC Mains)	CALL
104000	DSD-V.35/4	Available: Yes	4 Port, V.35 Digital Sharing Device, Switches on RTS/CTS and Data, Rates to 2.048Mbps (90-240 AC Mains)	CALL
111000	DMM-X21/4/512	Available: Yes	4 Port, 512 bit Buffered X.21 Sharing Device, Switch on C/I or Data, Rates to 1.024Mbps, DCE/DTE Selectable, (90-240 AC Mains)	CALL
136000	DMM-X21/4/8	Available: Yes	4 Port, 8 bit Buffered X.21 Sharing Device, Switch on C/I or Data, Rates to 2.048Mbps DCE/DTE Selectable, (90-240 AC Mains)	CALL
137000	DMM-X21/2/512	Available: Yes	2 Port, 512 bit Buffered X.21 Sharing Device, Switch on C/I or Data, Rates to 1.024Mbps DCE/DTE Selectable, (90-240 AC Mains)	CALL
138000	DMM-X21/2/8	Available: Yes	2 Port, 8 bit Buffered X.21 Sharing Device, Switch on C/I or Data, Rates to 2.048Mbps DCE/DTE Selectable, (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	A/B SWITCHES	LIST PRICE
262000	A/B Switch	Available: Yes	2-Port A/B Switch RS-530(V.11) with Common (90-240 AC Mains USA or Opt European Supply sold Sep)	CALL
273000	A/B Switch	Available: Yes	2-Port A/B Switch RS-232(V.24) with Common (90-240 AC Mains USA or Opt European Supply sold Sep)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	INTERFACE CONVERTERS	LIST PRICE
105000	232-V35 M/F	Available: Yes	RS-232 DCE to V.35 DTE Interface Converter, Male/Female (Data Interface Powered)	CALL
127000	V35-232 M/F	Available: Yes	V.35 DTE to RS-232 DCE Interface Converter, Male/Female (Data Interface Powered)	CALL
124000	V35-V36 M/F	Available: Yes	V.35 DCE to V.36(RS-449) or RS-530 DTE Interface Converter, Male/Female (Data Interface Powered)	CALL
114000	V35-X21 M/F	Available: Yes	V.35 DCE to X.21 DTE Interface Converter, Male/Female (Data Interface Powered)	CALL
110000	232/X.21 M/F	Available: Yes	RS-232 DCE to X.21 DTE Interface Converter, Male/Female (Data Interface Powered)	CALL
122000	TTL-530	Available: Yes	TTL to RS-530(V.11) Data and Clock W/BNC Connectors , (90-240 AC Mains)	CALL
190000	UDC-IC	Available: Yes	Universal Interface Converter, Standalone (select any two 202xxx series serial interface cards, (1) DCE & (1) DTE), (90-240 AC Mains)	CALL
204000	UDC-IC_RM	Available: Yes	Universal Interface Converter, 1U Rackmount, (select any two 202xxx series interface cards, (1) DCE & (1) DTE), (90-240 AC Mains)	CALL
199000	UDC-IC_HS	Available: Yes	High Speed Interface Converter, Standalone, Powered (select HSSI, EIA-644(LVDS), V.35, RS-530, RS-422, (1) DCE & (1) DTE), (90-240 AC Mains)	CALL
225000	UDC-IC_HS_RM	Available: Yes	High Speed Interface Converter, 1U Rackmount, Powered (select HSSI, EIA-644(LVDS), V.35, RS-530, RS-422, (1) DCE & (1) DTE), (90-240 AC Mains)	CALL
134000	RDS-UIC	Replaced by 204000	RDS-UIC, Interface Converter, AC Powered , (1) DCE & (1) DTE)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	MODEM ELIMINATORS	LIST PRICE
120000	SME-232	Available: Yes	RS-232 Modem Eliminator, Rates to 128Kbps, (90-240 AC Mains)	CALL
113000	SME-V35	Replaced By: 189000	V.35 Modem Eliminator, Rates to 2.048Mbps (3.072, 4.096Mbps & 6.144Mbps opt is avail.), (90-240 AC Mains)	CALL

118000	SME-X21	Available: Yes	X.21 Modem Eliminator, Rates to 2.048Mbps (3.072, 4.096Mbps & 6.144Mbps opt is avail.), (90-240 AC Mains)	CALL
123000	SME-530	Available: Yes	RS-530 Modem Eliminator, Rates to 2.048Mbps (3.072, 4.096Mbps & 6.144Mbps opt is avail.), (90-240 AC Mains)	CALL
189000	UDC-ME	Available: Yes	UDC Modem Eliminator, Standalone, Rates 1.2k to 3.072Mbps (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
200000	UDC-ME_RM	Available: Yes	UDC Modem Eliminator, 1U Rackmount, Rates 1.2k to 3.072Mbps (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
246000	UDC-ME_HS	Available: Yes	UDC Modem Eliminator, High Speed, 1U Rackmount, Rates 3.2k to 8.192Mbps (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
200002	UDC-ME_LS	Available: Yes	UDC Modem Eliminator, Standalone, Rates 50bps to 9.6K (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
260000	UDC-ME_LDR-DRM	Available: Yes	UDC Modem Eliminator, DUAL UNIT 1U Rackmount, Rates 50bps to 9.6K (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
275000	UDC-ME_LS-RM	Available: Yes	UDC Modem Eliminator, 1U Rackmount, Rates 50bps to 9.6K (select any two 129xxx series DCE serial interface cards), (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	SERIAL ADAPTERS	LIST PRICE
130000	SV11-AV24	Available: Yes	Simplex 8 bit, 1.2k to 9.6k Sync to Async 2.4k to 19.2k Converter (Data Interface Powered)	CALL
108000	ASC-232	Available: Yes	RS-232 Async to Sync Converter, Autobaud to 38.4Kbps (Data Interface Powered)	CALL
121000	ASC-422	Available: Yes	RS-232 Async to V.11 Sync Converter, Autobaud to 38.4Kbps (Data Interface Powered)	CALL
163000	ASC-232/V.11	Special Order	RS-232 Async to V.11 Sync Converter, Autobaud to 38.4Kbps, (90-240 AC Mains)	CALL
146000	RA-64/128k_V11	Available: Yes	RS-232 Async / Sync to V.11 Sync Rate Adapter, (cable pt# 712014 or 712015 req.) (Data Interface Powered)	CALL
147000	RA-64/128k_V35	Available: Yes	RS-232 Async / Sync to V.35 Sync Rate Adapter (cable pt# 712005 req.) (Data Interface Powered)	CALL
179000	RACK, RA-64k	Available: Yes	Rack, RA-64k Mechanical Carrier (Mounting Carrier for 16 RA-64k units), (No Power Required)	CALL
177000	RA-64/128k_V35-AC	Available: Yes	RS-232 Async / Sync Rate Adapter, (cable pt# 712005 req.) (90-240 AC Mains)	CALL
184058	UDC-SA_AS	Available: Yes	Async to Sync with FPGA Code for Phase Lock Loop Buffered Clock Option, with RS-232 DTE and RS-530 DCE, (90-240 AC Mains)	CALL
185000	UDC-RA 16k	Replaced By: 192000	16k Rate Adapter, Async/Sync to Sync (select any two 202xxx series serial interface cards, (1) DCE & (1) DTE)) (90-240 AC Mains)	CALL
192000	UDC-RA 64/128k	Available: Yes	64/128k Rate Adapter,Async/Sync to Sync (select any two 202xxx series serial interface cards, (1) DCE & (1) DTE)) (90-240 AC Mains)	CALL
222000	UDC-SA	Available: Yes	Simplex Serial Adapter for Sync/Async to Crypto W/Sync Strings, (Requires 129029 RS-530 DTE & 129014 RS-232 DCE) (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	4 TO 16 PORT TDM MULTIPLEXER	LIST PRICE
166060	Nx-MUX_SD	Available: Yes	Nx-MUX, 16 Port Base Unit, Single Composite, Dual Power Slots	CALL
166100	Nx-MUX_DD	Available: Yes	Nx-MUX, 16 Port Base Unit, Dual Composite, Dual Power Slots	CALL
166003	Nx8-Processor	Available: Yes	Nx8-MUX, Processor Card, Composite rates of 8k to 128Kbps	CALL
166045	Nx64-Processor	Available: Yes	Nx64-MUX, Processor Card, Composite rates of 64Kbps to 2.048Kbps	CALL
166102	Nx64-Dual Composite	Available: Yes	Nx64-MUX, Dual Composite Processor Card, 64k to 2.048Mbps	CALL
166106	Nx8-Dual Composite	Available: Yes	Nx8-MUX, Dual Composite Processor Card, 8k to 128Kbps	CALL
166007	Nx8-IO	Available: Yes	Nx8-MUX, 4-Port I/O Card, RS-232 and RS-530/V.35/X.21 (up to 4 cards per Base Unit)	CALL
166080	Nx-SRPS	Available: Yes	Nx8-MUX, Single Redundant Power Supply (90-240 AC Mains)	CALL
166117	Nx-Dual_UP	Available: Yes	Kit, Dual Composite Backplane Upgrade	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	LINE DRIVERS	LIST PRICE
125000	ALD-19.2	New Lower Pricing	RS-232 Async 4-Wire Line Driver, 9.6K and 19.2Kbps @ 2000' (90-240 AC Mains)	CALL
103000	CE-232		RS-232 Cable Extender w/RJ-45, distances to 2500' (90-240 AC Mains)	CALL
106000	DME	New Lower Pricing	RS-232 to 4-Wire Digital Line Driver, 2.4k to 64k Sync (90-240 AC Mains)	CALL
191000	UDC-LD	Available: Yes	Serial Line Driver, Point to Point or Multipoint 2 or 4 wire RS-485 (Includes 129070 and select one 202xxx DCE series interface card) (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	SECURE WEB BASED REMOTE ASYNC CONSOLE SERVER	LIST PRICE
183000	Async2IP_Web	Available: Yes	Async2IP, Remote Console Server, 4-Port RS-232 to 10/100 LAN, SSL Encryption	CALL
180052	Async2IP_110	Available: Yes	AC Supply, 90-126VAC Input	CALL
180072	Async2IP_110/220	Available: Yes	AC Supply, 90-240VAC Input	CALL
180076	Async2IP_DC	Available: Yes	DC Supply, -36 to -72VDC Input	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	SYNC / ASYNC SERIAL TO IP ADAPTER	LIST PRICE
180000	Sync2IP_2	Available: Yes	Sync / Async to 10/100 LAN Adapter, 1U Single Chassis (select any two 202xxx series interface cards, (2) DCE's or (1) DCE & (1) DTE))	CALL
180050	Sync2IP_4	Available: Yes	Sync / Async to 10/100 LAN Adapter, 1U 2-UP Chassis (select any two 202xxx series interface cards, (2) DCE's or (1) DCE & (1) DTE))	CALL
180036	Sync2IP_DC	Available: Yes	DC Supply, -36 to -72VDC Input	CALL
180030	Sync2IP_AC	Available: Yes	AC Supply, 90-240VAC Input	CALL
277000	Sync2IP_MINI	Available: Yes	MINI Sync2IP, RS-232, 2-Port, 24VDC Powered, Industrial Temp. Standalone	CALL

PART NUMBER	PRODUCT NAME	PRODUCT STATUS	SECURE ASYNC SERIAL TO IP ADAPTER	LIST PRICE
180055	Async2IP	Special Order	Async 4-Port RS-232 to 10/100 LAN Adapter, SSL Encryption	CALL
180052	Async2IP_110	Special Order	AC Supply, 90-126VAC Input	CALL
180072	Async2IP_110/220	Special Order	AC Supply, 90-240VAC Input	CALL
180076	Async2IP_DC	Special Order	DC Supply, -36 to -72VDC Input	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	CABLES	LIST PRICE
712005	DB25-V35 M/M	Available: Yes	6 Foot DB-25 Male to V.35 Male Adapter Cable	CALL
712013	DB25-V35 M/F	Available: Yes	6 Foot DB-25 Male to V.35 Female Adapter Cable	CALL
712014	DB25-DB15 M/M	Available: Yes	6 Foot DB-25 Male to X.21 Male Adapter Cable	CALL
712019	DB25-DB25 M/M	Available: Yes	6 Foot DB-25 Male to rs-530 Male Adapter Cable	CALL
712015	DB25-DB37 M/M	Available: Yes	6 Foot DB-25 Male to RS-422 Male Adapter Cable	CALL
712007	RS-232 M/M	Available: Yes	6 Foot RS-232 Male/Male Cable	CALL
712008	V.35 M/M	Available: Yes	6 Foot V.35 Male to Male Cable	CALL
712009	V.35 M/F	Available: Yes	6 Foot V.35 Male to Female Cable	CALL
712028	LVDS-DB25 M/M	Available: Yes	Cable, EIA-644 LVDS, VHDCI Male to DB25 Male, 6 foot long	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	BREAKOUT BOX / LINE MONITORS	LIST PRICE
119000	V.35 B-BOX	Available: Yes	V.35 / X.21 Break Out Box, (90-240 AC Mains)	CALL
128000	DTS	Available: Yes	Data Test Set for Modems (Data Interface Powered)	CALL
209000	RS-530_LM	Available: Yes	RS-530 Line Monitor, LED's for Data and Clock (Data Interface Powered)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	FIFO BUFFERS	LIST PRICE
200001	TCB-V.24	Available: Yes	RS-232 Tail Circuit Buffer, 16, 32 & 64 bit selectable, Rates to 128k, Connects two DCE's (Data Interface Powered)	CALL
223000	UDC-TCB	Available: Yes	Tail Circuit Buffer, Standalone, 1024, 2048, 4096, 8192 bit Buffers, Rates to 2.048Mbits(Select any two 202xxx DCE series interface cards)(90-240 AC Mains)	CALL
224000	UDC-TCB_RM	Available: Yes	Tail Circuit Buffer, 1U Rackmount, 1024, 2048, 4096, 8192 bit Buffers, Rates to 2.048Mbits(Select any two 202xxx DCE series interface cards)(90-240 AC Mains)	CALL
132000	RDS-SB	Special Order	Satellite Buffer, 2.097 Mbit Elastic Buffer, Rates to 2.048Mbits (DCE-DCE) (90-240 AC Mains)	CALL
152000	RDS-ETCB	Special Order	Elastic Tail Circuit Buffer, 2 Mbit variable Buffer, Rates to 2.048Mbits(DCE-DTE) (90-240 AC Mains)	CALL
160000	RDS-TCB	Replaced By: 224000	Tail Circuit Buffer, 1024, 2048, 4096, 8192 Selectable Buffer Sizes, Rates to 2.048Mbits(DCE-DCE) (90-240 AC Mains)	CALL
167000	RDS-SB2	Special Order	Satellite Buffer, 64k to 1.024M(in 64k steps) Selectable Elastic Buffer, Rates to 2.048Mbits (DCE-DCE) (90-240 AC Mains)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	TTL TO DIGITAL INTERFACE MODULES	LIST PRICE
129014	RS-232 DCE I/M	Available: Yes	RS-232, DB-25 Female, DCE Interface Module(connects to DTE)	CALL
129032	RS-232 DTE I/M	Available: Yes	RS-232, DB25 Male, DTE Interface Module(connects to DCE)	CALL
129010	V.35 DCE I/M	Available: Yes	V.35, MR-34 Pin Female, DCE Interface Module(connects to DTE)	CALL
151038	V.35 DTE I/M	Available: Yes	V.35, DB-25 Male, DTE Interface Module(connects to DCE) (Requires adapter Cable PT# 712005)	CALL
129028	V.35 DTE I/M	Available: Yes	V.35, MR-34Pin Male, DTE Interface Module(connects to DCE)	CALL
129011	RS-530 DCE I/M	Available: Yes	RS-530, DB-25 Female, DCE Interface Module(connects to DTE)	CALL
129029	RS-530 DTE I/M	Available: Yes	RS-530, DB-25 Male, DTE Interface Module(connects to DCE)	CALL
129012	RS-422 DCE I/M	Available: Yes	RS-422/449, DB37 Female, DCE Interface Module(connects to DTE)	CALL
129030	RS-422 DTE I/M	Available: Yes	RS-422/449, DB-37 Male, DTE Interface Module(connects to DCE)	CALL
129013	X.21 DCE I/M	Available: Yes	X.21, DB-15 Female, DCE Interface Module(connects to DTE)	CALL
129031	X.21 DTE I/M	Available: Yes	X.21, DB-15 Male, DTE Interface Module(connects to DCE)	CALL
129057	TTL I/M	Available: Yes	TTL Interface Module W/BNC Connectors	CALL
129070	RS-485 I/M	Available: Yes	RS-485, DB-9 Female, DCE Interface Module(connects to DTE)	CALL
129075	V.11 DBU I/M	Available: Yes	V.11/422, RJ-45 Female, 4-Port Data Broadcast Card, DCE Interface Module(connects to DTE)	CALL
129092	RS-232 DBU I/M	Available: Yes	RS-232, RJ-45 Female, 4-Port Data Broadcast Card, DCE Interface Module(connects to DTE)	CALL
129085	T-1 I/M	Available: Yes	T-1 Interface Module, 1.544 Mbps, RJ-48 & DB-15 Female	CALL
175097	E-1 I/M	Available: Yes	E-1 Interface Module, 2.048 Mbps, 75 ohm BNC	CALL
151028	HSSI DCE I/M	Available: Yes	HSSI, SCSI-I 50 Pin Female, DCE Interface Module(connects to DTE)	CALL
151043	HSSI DTE I/M	Available: Yes	HSSI, SCSI-I 50 Pin Female, DTE Interface Module(connects to DCE)	CALL

175020	DS3 I/M	Available: Yes	DS3 Interface Module, 44.736 Mbps, 75 ohm BNC	CALL
175021	E3 I/M	Available: Yes	E3 Interface Module, 34.368 Mbps, 75 ohm BNC	CALL
175022	STS-1 I/M	Available: Yes	STS-1 Interface Module, 51.840 Mbps, 75 ohm BNC	CALL
175023	T-1 I/M	Replaced By: 129085	T-1 Interface Module, 1.544 Mbps, DB-15 Female	CALL
175024	E-1 I/M	Replaced By: 175097	E-1 Interface Module, 2.048 Mbps, 75 ohm BNC	CALL
129105	TTL-4Port	Available: Yes	TTL 4-Port Expansion 50 Ohm BNC Splitter Card	CALL
129126	1mhz-Sine	Available: Yes	1 Mhz Sine Wave Clock Receiver, 50 Ohm BNC Input	CALL
129109	10mhz-Sine	Available: Yes	10 Mhz Sine Wave Clock Receiver, 50 Ohm BNC Input	CALL
175040	EIA-644 LVDS DCE I/M	Available: Yes	EIA-644 LVDS, DB-25 Female, DCE Interface Module(connects to DTE)	CALL
175045	EIA-644 LVDS DTE I/M	Available: Yes	EIA-644 LVDS, DB25 Male, DTE Interface Module(connects to DCE)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	UNIVERSAL DATA CONVERTER DC POWER OPTION	LIST PRICE
184018	UDC-DC	Available: Yes	Universal Data Converter -36 to -72 Volt DC Supply	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	UDC PRODUCT RANGE - TTL TO DIGITAL INTERFACE MODULES	LIST PRICE
202001	UDC-RS232 DCE	Available: Yes	RS-232, DB-25 Female, DCE Interface Module(connects to DTE)	CALL
202002	UDC-RS232 DTE	Available: Yes	RS-232, DB25 Male, DTE Interface Module(connects to DCE)	CALL
202003	UDC-V.35 DCE	Available: Yes	V.35, MR-34 Pin Female, DCE Interface Module(connects to DTE)	CALL
202004	UDC-V.35 DTE	Available: Yes	V.35, MR-34 Pin Male, DTE Interface Module(connects to DCE)	CALL
202005	UDC-RS530 DCE	Available: Yes	RS-530, DB-25 Female, DCE Interface Module(connects to DTE)	CALL
202006	UDC-RS530 DTE	Available: Yes	RS-530, DB-25 Male, DTE Interface Module(connects to DCE)	CALL
202007	UDC-RS422 DCE	Available: Yes	RS-422/449, DB37 Female, DCE Interface Module(connects to DTE)	CALL
202008	UDC-RS422 DTE	Available: Yes	RS-422/449, DB-37 Male, DTE Interface Module(connects to DCE)	CALL
202009	UDC-X.21 DCE	Available: Yes	X.21, DB-15 Female, DCE Interface Module(connects to DTE)	CALL
202010	UDC-X.21 DTE	Available: Yes	X.21, DB-15 Male, DTE Interface Module(connects to DCE)	CALL
202011	UDC-TTL	Available: Yes	TTL, 75 Ohm Interface Module W/BNC Connectors	CALL
202012	UDC-RS485 I/M	Available: Yes	RS-485, DB-9 Female, DCE Interface Module(connects to DTE)	CALL
205001	HSSI DCE I/M	Available: Yes	HSSI, SCSI-I 50 Pin Female, DCE Interface Module(connects to DTE)	CALL
205007	HSSI DTE I/M	Available: Yes	HSSI, SCSI-I 50 Pin Female, DTE Interface Module(connects to DCE)	CALL
PART NUMBER	PRODUCT NAME	PRODUCT STATUS	YEARLY MAINTENANCE	LIST PRICE
750001	RDS-PLUS YR Maint	Available: Yes	Maintenance, Yearly RDS-PLUS, Includes Standard Bench Repair and Return Overnight Shipping, starts after the initial 3-Year Warranty	CALL
750002	Emulator YR Maint	Available: Yes	Maintenance, Yearly EDS-10G, Includes Standard Bench Repair and Return Overnight Shipping, starts after the initial 3-Year Warranty	CALL
750003	Emulator YR Maint	Available: Yes	Maintenance, Yearly EDS-1G, Includes Standard Bench Repair and Return Overnight Shipping, starts after the initial 3-Year Warranty	CALL